






<b>6 Resonator</b> Cavity Design <b>WRCG Series</b>	<b>Band Reject Filter</b> Reject Band 1877 to 1883 MHz Passbands DC to 1870 & 1890 to 3600 MHz	<b>Model Number:</b> <b>WRCG 1877/1883-1870/1890-40/6</b> <i>(add connector code - see below)</i>
---	--	---




**Model Numbers:** WRCG 1877/1883-1870/1890-40/6SS (= SMA-F)  
 WRCG 1877/1883-1870/1890-40/6EE (= N-F)

- Very Flat Passband to 3600 MHz
- Slopes: 7 MHz / 40 dB



Dimensions:  
 60 mm high x 30 mm wide  
 165 mm long – plus connectors



Specifications			
<b>Reject Band:</b>	1877 to 1883 MHz		
<b>Reject Attenuation:</b>	40 dB min.		
<b>Passbands:</b>	DC to 1870 MHz and 1890 to 3600 MHz		
<b>Passband Loss:</b>	1.2 dB max. / 1.5 dB max. at passband corners		
<b>Return Loss (50Ω) in Passband:</b>	14 dB min. = VSWR 1.5 : 1 max.		
<b>Operating Temperature:</b>	+15°C to +40°C		
<b>Dimensions:</b>	60 mm high x 30 x 165 mm plus connectors	<b>Approx. Weight:</b> 0.55 kg ( 1.2 lbs)	
<b>Mounting Provision:</b>	4 x M4 threaded holes each on all sides - see drawing <a href="#">UMP-1</a> (Website)		
<b>Connector Code:</b>	SMA-female = <b>SS</b> or N-female = <b>EE</b>		
Price Basis: see Ord. Inf., Terms, Warranty	<b>PRICES:</b>	<b>Euro:</b> Price based on shipment ex factory	<b>US-\$:</b> Price includes shipping, import charges and customs duty. *
When purchasing	1 – 4 pcs.	<b>€ 706,--</b>	<b>\$ 1200.--</b>
Test Sheet with Analyzer Curves supplied.			
* Prices in US-\$ for shipments to the USA only. American customers are welcome to purchase at EURO-prices and carry postage/freight and import charges directly.			

**Delivery Time:** normally 4 to 6 weeks - depending on work load in the factory at time of order.